



COST
EFFECTIVE

EASY
TO RUN

GAS
TIGHT



PREMIUM
SURFACE CASING
LIGHT WEIGHT AND
FAST TO RUN

— THREADED
& COUPLED

— 18 5/8"
AND ABOVE



A COST EFFECTIVE ALTERNATIVE TO WELD-ON CONNECTORS.

VAM® LOX is a premium surface casing connection, designed to answer your high performance needs, enabling the use of high strength grades up to 125 ksi. Offering you a valuable solution, it provides gas tightness, structural integrity and easy running operations.

PERFORMANCE

- High yield, lighter weight pipes allow for slim design and better clearance
- Metal-to-metal seal provides internal pressure gas tightness
- Sealability validated with combined loads and gas pressure, up to API RP 5C5: 2017 CAL-I (GAS)
- 100% PBYS (Pipe Body Yield Strength) resistance in tension and compression
- 100% ISO 10400 collapse (external pressure)
- 100% MIYP (Minimal Internal Yield Pressure) of the pipe body
- Easy running and fast make-up with double start thread and standard running equipment
- No need for welding operations


APPLICATIONS

- HP / HT wells
- Deep wells
- Offshore wells

PRODUCT RANGE

Pipe:	Seamless and welded
OD*:	18 5/8" and 20"
Grades:	Carbon and Sour Service
YS:	From 55 ksi to 125 ksi

* Non regular sizes available upon request



COST EFFECTIVE

VAM® LOX is easier and faster to run. Every minute saved is money gained.




EASY TO RUN

Fast make-up design. No risk of back-out.




GAS TIGHT

VAM® LOX's engineered internal metal seal design guarantees **gas tightness** under combined loads enhancing **well integrity**.



VAM® LOX - EXAMPLE OF MAXIMUM LOAD SERVICE ENVELOPE FOR API RP 5C5: 2017 CAL-I (GAS) PERFORMANCE




SUCCESSFUL FIRST RUNNING IN BOLIVIA

"VAM® LOX was selected for surface casing connections because it meets the stringent safety requirements associated with exploratory gas wells." *November 2018.*




YOUR PARTNER, SETTING
THE PACE FOR INNOVATION
AND PERFORMANCE
EVOLUTION



NEED MORE
INFORMATION?

Information is available online on
solutions.vallourec.com or by
scanning the following QR code.



solutions.vallourec.com



contact@vallourec.com
Headquarters

12, rue de la Verrerie
92190 Meudon - FRANCE
Phone: +33 1 49 09 35 00
www.vallourec.com